

AVScan Capture Software - International
Version 4.3

Installation Manual

July 2008

Index

1. System Requirement.....	3
2. Installation	4
3. Un-installation.....	9

1. System Requirement

- Hardware

	Minimum	Recommended
CPU	PIII 1GHz or above	P4 2.4 GHz or above
RAM	256 MB Memory or above	512 MB Memory or above
HardDisk Storage	2GB or higher	
Display	8MB Video RAM or higher	
CD-Rom	4x or higher	
SCSI Adapter	DMA166 or higher	
Scanner	ISIS / TWAIN Driver Supported	

- Software

OS	Microsoft Windows 2000 Professional Microsoft Windows 2000 Server Microsoft Windows 2003 Server Microsoft Windows XP Home Edition Microsoft Windows XP Professional * Microsoft Windows 98 / ME / NT is NOT supported*
Browser	Microsoft Internet Explorer 5.5 or higher

2. Installation

Thank You for chosen AVScan Scanning & E-filing System.

Note:

Use "Administrator" to login Window to install AVScan.

Pre-requisites:

- > ISIS / TWAIN Scanner Driver
- > AVScan Setup Disc

Installation Steps:

1. TWAIN Scanner Driver should be installed first.
2. Put in your AVScan Setup Disc, double click "setup.exe". Then system will start the installation.




PIC E02-1 Click Setup.exe

3. In PIC E02-2, you can start the installation of AVScan by clicking "OK". Let us guide you to select the installation path and shortcut step by step.




PIC E02-2 AVScan Setup

4. Setup Wizard will copy the files to PC hard disk and ready to start the installation.



PIC E02-3 AVScan Setup Wizard (1)

5. PIC E02-4 will be shown. Click "Next" to continue.




PIC E02-4 AVScan Setup Wizard (2)

6. Default Destination Folder is shown. (PIC E02-5)


- If install to a different folder, click "Browse" and select another folder.
- Select "Just me" to install AVScan for yourself only; or select "Everyone" for anyone who uses this computer (*Recommend to select "Everyone"*).

Click "Next" to install AVScan to your computer.




PIC E02-5 Select Installation Folder

7. Click "Next" to confirm the installation.



PIC E02-6 Confirm Installation of AVScan


8. AVScan is being installed.



PIC E02-7 Installing AVScan


9. During installation, PIC E03-8 will pop up to select the language of the program interface. (AVScan Installation provides 8 kinds of language interfaces: **English, Traditional Chinese, Simplified Chinese, German, Korean, French, Czech & Portuguese.**)

Select your language, and then click "Save" button.



PIC E02-8 Select Language


10. AVScan is installed successfully. Click "Close" to exit.



PIC E02-9 Finish Installation


3. Un-installation

1. To uninstall AVScan, press "Start" → "Setting" → "Control Panel".




PIC E03-1 Un-Installation of AVScan (1)

2. PIC E03-2 will be shown. Select "Add / Remove Programs".




PIC E03-2 Un-Installation of AVScan (2)

3. Select "AVScan" and press "Remove".



PIC E03-3 Un-Installation of AVScan (3)

4. After selecting "Remove", PIC E03-4 will be shown. Click "Yes" to remove AVScan, otherwise, click "No" to cancel.



PIC E03-4 Confirm Un-Installation of AVScan

Contact Us.

Thank you for chosen AVScan Capture Software - International.

Feel free to request new features or suggest modifications to existing features and let us know your feedback.

For general, please call 852-27701080 (Hong Kong) or 86-755-25862351 (PRC); or visit <http://www.vitova.com>.