

TeXShop Tips & Tricks

v0.7.1–2013/08/18

H. Schulz
herbs2@mac.com

Contents

1	Introduction	2
1.1	What Isn't Here	2
1.2	What Is Here	2
2	Editing, Typesetting and Viewing — the Work Cycle	2
2.1	Editing the Source File	2
2.1.1	LaTeX & Matrix Panels	2
2.1.2	The Tags Popup	3
2.1.3	Find/Replace	3
2.2	Typesetting	4
2.2.1	Removing “Aux” files	5
2.3	Viewing the Output pdf File	5
2.3.1	Synchronizing between pdf and Source	5
2.4	Working with a Large Document	5
2.4.1	Switching between Source Windows	6
2.5	Working with BibDesk and Citations	6
2.6	Getting Help for Packages	6
3	Controlling the Keyboard	6
3.1	Menu Shortcuts & System Preferences	7
3.2	More Editing Help	7
3.3	Key Bindings	7
4	Macros	7
4.1	Text Macros	9
4.2	Applescript Macros	10
5	Command Completion	10
5.1	Completions	10
5.2	Substitutions or Abbreviations	10
5.3	Hey, it doesn't work!	11
6	Extending Processing via Engines	11
6.1	The pdf _l atexmk engine	11

1 Introduction

T_EXShop is a “Front End” for a T_EX distribution on Mac OS X. As such it allows the user to create and edit T_EX source files, interact with the T_EX distribution (e.g., typeset the source file) and finally preview the final pdf file. It also allows the user to go back and forth between preview and source.

Over the years T_EXShop has added many features. Some of them are obvious and are meant to help a novice get started. Others are a bit more subtle in their use and the underlying power of these features needs to be coaxed out.

1.1 What Isn't Here

This article is, first of all, *not* about T_EX or L^AT_EX. I don't intend to teach you how to write T_EX source. There are many fine books and articles that will teach you how to become a T_EXpert or, at least, a T_EXpätzer like me.

Although there is some introductory material it is also *not* meant as a complete manual for the use of T_EXShop for the total novice. Over time it might evolve into such a document but I've got to start somewhere and this is that start.

1.2 What Is Here

In this article I hope to introduce you to some of the more subtle things you can do to make your life as a T_EX source editor easier. These include adding keyboard commands and extending the editing capabilities of T_EXShop; helping you make short(er) work of creating documents, etc., with the use of Macros and Command Completion; and, finally, how one can extend the processing capabilities of T_EXShop using Engines.

2 Editing, Typesetting and Viewing — the Work Cycle

This is about as close to a beginner's section you will get in this document.

2.1 Editing the Source File

The first thing you've got to do to create that great work is to type it into the source document that will be typeset and viewed later. This involves both putting L^AT_EX markup as well as your wonderful words into the document.

To get started you can open a new document using File → New (Cmd-N) and then fill in the start of a new document by choosing a template from the Templates popup menu in the Source Window or use the File → New From Stationery... command and picking appropriate Stationery from the list. Note that the templates and stationery provided are certainly not complete; if you have some that you think are of general use feel free to submit them for inclusion in T_EXShop. You can add personal Templates and Stationery to ~/Library/TeXShop/Templates and ~/Library/TeXShop/Stationery respectively. **Note: ~/Library is the Library folder in your HOME folder. Note: Under Mac OS X 10.7/10.8 the Library folder is “hidden” by default; in Finder hold the Opt key down and click on the Go menu and it will be available.**

2.1.1 L^AT_EX & Matrix Panels

While I believe that panels with a clickable interface actually hinder learning I'll mention that T_EXShop has two panels: one to help with entering L^AT_EX code (the L^AT_EX Panel) and one for setting up the basic structure of a matrix or tabular (the Matrix Panel). These are toggled on/off under the Window Menu or with the keyboard shortcuts¹ Opt - Cmd - - and Opt - Cmd - = respectively. Figure (1) shows what the panels look like.

¹The given shortcuts are for the English localization and may be different with other localizations.




Figure 1: (a) The LaTeX Panel; and (b) Matrix Panel.




Figure 2: The Tags Popup Menu.

It is possible to make a few changes and additions to the LaTeX Panel by editing the `~/Library/TeXShop/LatexPanel/completion.plist` file. **Note: all plist files must be edited using UTF-8 Unicode encoding.**

2.1.2 The Tags Popup

The Tags popup menu on the Source Toolbar will automatically list sectioning commands so you can quickly jump to a relevant part of your document source. You can add your own tag to the list at a particular place in the document by placing the line

```
%:my tag name
```

at that position and it will then appear in the popup list so you can jump to that location quickly. See Figure (2). Sorry, tags are not recursively included for files you `\include` or `\input`.

2.1.3 Find/Replace

There are three Find/Replace “panels” available with TeXShop 3.xx (two with TeXShop 2.xx). Each is discussed individually below. You choose the Find/Replace Panel you wish to use on the Source




Figure 3: The Find/Replace “panels” available in $\text{T}_{\text{E}}\text{XShop}$: (a) the standard Apple Find Panel; (b) the Ogrekit Find Panel with the More Options panel displayed; and, (c) the Apple Find Bar available with $\text{T}_{\text{E}}\text{XShop}$ 3.xx.

tab under TeXShop \rightarrow Preferences. You must restart $\text{T}_{\text{E}}\text{XShop}$ to enable any changes made to the Find/Replace Panel choice in Preferences.

Apple Find Panel The traditional Apple Find/Replace panel. A simple to use panel for finding and replacing text. The Standard Apple Find/Replace Panel is shown in Figure (3a) on page 4.

OgreKit Find Panel An advanced Find/Replace panel that supports Regular Expressions (regex for short) of various styles (press the More Options button to select the dialect). Regex is a very advanced way to find and replace text and is a good investment of your time to learn. The OgreKit Find Panel with the More Options panel displayed is shown in Figure (3b) on Page 4.

Apple Find Bar Only available in OS X 10.7 and later; and therefore only in $\text{T}_{\text{E}}\text{XShop}$ 3.xx. It provides a drop down bar for doing Find with an additional line if you select Replace. See Figure (3c) on page 4 for an example of the Apple Find Bar; the additional Replace line is displayed.

2.2 Typesetting

Once you are ready to take a look at how your document will appear you typeset it with the default engine, `pdflatex` out of the box, by simply using the Typeset \rightarrow Typeset (Cmd-T) command.

You may wish to use a different engine as your default. You can change the default engine in TeXShop \rightarrow Preferences \rightarrow Typesetting.

If you are including many eps graphics files in your document you may wish to typeset using `latex \rightarrow dvips \rightarrow ps2pdf` since `pdflatex` does not allow for direct inclusion of eps files². The easiest way to do this is to include the line

```
% !TEX TS-program = latex
```

²The `pdflatex` program in Mac $\text{T}_{\text{E}}\text{X}$ -2010 and later will do on-the-fly conversion of eps files.




Figure 4: (a) Source → Preview Synchronization; and (b) Preview → Source Synchronization.

at the top of your document. Then $\text{T}_{\text{E}}\text{X}$ Shop will use the `latex+distiller` typesetting method noted above no matter what the default engine setting. Change `latex` to `pdf $\text{T}_{\text{E}}\text{X}$` to force use of `pdf $\text{T}_{\text{E}}\text{X}$` to typeset your file.

2.2.1 Removing “Aux” files

The process of typesetting produces several auxiliary files that contain information about cross references, bibliography, indexes, etc. If an error occurs during typesetting these files can be left in some unknown state and need to be removed before attempting to typeset the document again. The `File → Trash Aux Files (Ctl-Command-A)` command removes most of the files that may create problems.

With $\text{T}_{\text{E}}\text{X}$ Shop 3.18 and later there is an additional way to remove those files and then typeset the document with a single command. If you hold the `Opt` key down while clicking the `Typeset` menu the `Typeset → Typeset` command becomes `Typeset → Trash Aux & Typeset (Opt-Command-T)`.

Search for `trash aux` in `Help → TeXShop Help Panel...` for the list of all file extensions removed by the `Trash Aux Files` and `Trash Aux & Typeset` menu commands. The Terminal commands used to add additional extensions to the trash list and return the list to the default list of extensions is also given in that section of $\text{T}_{\text{E}}\text{X}$ Shop’s Help Panel.

2.3 Viewing the Output pdf File

Assuming the document was successfully typeset the pdf file will automatically open in a separate preview window.

You can control how it’s displayed in the `Preview Menu`. You can change the default settings in `TeXShop → Preferences → Preview`.

2.3.1 Synchronizing between pdf and Source

With more recent $\text{T}_{\text{E}}\text{X}$ distributions you can also skip back and forth between a location in the Preview Window and the equivalent location in the Source Window by `Cmd-Clicking` in either one to go to the (approximate) location in the other. See Figure (4) for an example of `Source → Preview` and `Preview → Source` synchronization.

2.4 Working with a Large Document

It is often handy to break a large document into more manageable subordinate parts and then create a “root” file which contains the preamble and `\include` commands to bring all the parts together for typesetting.

To have $\text{T}_{\text{E}}\text{X}$ Shop “know” which file to typeset when working on a subordinate file put the line




Figure 5: BibDesk Plugin: (a) citation insertion; and (b) cross-reference insertion.

```
% !TEX root = path/to/rootfile.tex
```

at the top of your subordinate file; `path/to/rootfile.tex` is the relative or absolute path to the root file for this document. Once this is done $\text{T}_{\text{E}}\text{X}$ Shop will typeset the root file if you press Type-set \rightarrow Typeset (Cmd-T) even though you are editing a subordinate file and properly synchronize between the Source and pdf. E.g., if the root file is called `mygreatbook.tex` and the chapter files, `chapter1.tex`, etc., are in a `chapters` sub-folder below the root file then place the line

```
% !TEX root = ../mygreatbook.tex
```

at the top of each of the chapter files. The `../` means go up one folder level to find the root file.

2.4.1 Switching between Source Windows

If you have multiple source files open you can switch between just those windows by using the Window \rightarrow Next/Previous Source Window (Cmd-F2/Shift-Cmd-F2) menu commands.

2.5 Working with BibDesk and Citations

$\text{T}_{\text{E}}\text{X}$ Shop has a built-in “plugin” that interacts with the BibDesk bibliography application to allow you to complete citation references in the `\cite` command. To enable the use of the “plugin” make sure that $\text{T}_{\text{E}}\text{X}$ Shop \rightarrow Preferences \rightarrow Source \rightarrow Editor \rightarrow BibDesk Completions is checked.

To use it you must first open the required bibliography (bib) file(s) in BibDesk. Enter several characters from the reference label within the `\cite` command and press F5 to get a list of matching references from the bib file(s) with a bit of information about each one. Scroll to the one you want and press Return or Tab. See Figure (5) on page 6 for an example.

The “plugin” also works for entering cross-references within `\ref` or `\pageref` commands but only for those with labels in the file you are editing.

2.6 Getting Help for Packages

There are many times when having help about a given package can be handy. $\text{T}_{\text{E}}\text{X}$ Shop has an interface to `texdoc` which will bring up that documentation. Execute the Help \rightarrow Show Help for Package... (Opt-Cmd-I) and enter the name of the package.

You can also easily look at a package directly with the Help \rightarrow Open Style File... command and enter the full package file name *including the proper extension* (e.g., `.sty` for packages or `.cls` for document classes).

3 Controlling the Keyboard

One of the best ways to speed up your entry of text in a source file is to keep your hands on the keyboard as much as possible—only one of the reasons I don’t like the “clicky” interface of the

⌘TeX and Matrix Panels. There are many shortcuts associated with the TeXShop menu system but this section is about changing and adding others and other keyboard customizations.

3.1 Menu Shortcuts & System Preferences

Sometimes you'd like to add a shortcut to a menu item that doesn't have one or add one to a command whose shortcut you dislike. Mac OS X 10.4 (Tiger) and later have a method to add shortcuts to specific menu items both globally and in specific programs. This feature has become much more reliable in OS X 10.5 and especially in OS X 10.6 and later.

One example using Mac OS X 10.6 (Snow Leopard) or later: TeXShop 2.36 has added a File → New from Stationery. . . command, without a shortcut, which can be very helpful once you set up stationery the way you want. To add Opt-Command-N as the shortcut to that menu item: open up the System Preferences application to Keyboard → Keyboard Shortcuts and select Application Shortcuts; press the + button to add a shortcut; select TeXShop as the application; enter the exact menu title [New from Stationery. . . — note you *must* enter a real ellipsis, '...'; (Opt-; with the English keyboard layout)]; and press Opt-Command-N as the shortcut.

3.2 More Editing Help

TeXShop is built using Apple's programmers interfaces (called frameworks) and therefore inherits all the properties and functionality of those interfaces. There are many things available through the Text framework that aren't tied to the keyboard by default, e.g., many 'emacs-like' keyboard commands, but Apple has made it possible to add those commands to all applications that use the Text framework; e.g., TextEdit and Mail as well as TeXShop.

This is done by creating a special file, `DefaultKeyBinding.dict`, and placing it in a particular location, `~/Library/KeyBindings` (you may have to create the `KeyBindings` folder there if it doesn't already exist).

You can get more information about this, as well as a (useful) sample, by downloading the `KeyBindings.zip` file at <https://dl.dropbox.com/u/10932738/index.html>.

3.3 Key Bindings

Besides adding shortcuts to Menu Items you can actually bind keystrokes, within TeXShop, to expand into groups of characters. Checking the TeXShop → Preferences → Source → Editor → Key Bindings option will enable this feature. You can also toggle it on/off for any particular document using Source → Key Bindings → Toggle On/Off. This feature was previously called Auto Completion; not to be confused with Command Completion—see section (5) below.

E.g., pressing Opt-, with a US keyboard layout, usually enters ≤ into your document but with Key Binding enabled \leq will be entered. Similarly, with some text selected pressing " will surround the selected text with ' ' and ' '.

You can add, remove or change the key bindings using the Key Bindings Editor (Source → Key Bindings → Edit Key Bindings File. . .). Figures (6) and (7) show the Key Bindings Menu and Editor.

Once in the Editor the left hand column displays the input keystroke while the right hand column shows what will be substituted for that keystroke. To see how you produce some of those keystrokes enable the Keyboard Viewer in System Preferences → Keyboard → Keyboard by checking the 'Show Keyboard & Character Viewers in menu bar' item and then clicking on the new keyboard icon in your Menu Bar.

4 Macros

Macros can be simple text substitutions or Applescript programs that can do all sorts of processing on a file. You can also assign a keyboard shortcut to any macro for direct execution. The ones that are part of TeXShop are found under the Macros Menu.




Figure 6: The Key Bindings Menu in TeXShop.




Figure 7: The Key Bindings Editor in TeXShop.




Figure 8: The Macro Editor Window.




Figure 9: The extra menu items when the Macro Editor is open.

You can remove or add additional macros to the menu by using the Macro Editor (use the `Macros → Open Macro Editor` command). The Macro Editor window and extra menu items in the Macros Menu are shown in Figures (8) and (9) respectively.

Besides writing your own macros you can add macros supplied by others to the Macros menu one of two ways: copy and paste the text version of the macro into a New Item in the Macro Editor; or obtain the macro as a `plist` file and use the `Add macros from file...` command found in the Macros Menu when the Macro Editor is open (again, see Figure (9)).

More information on macros can be found by searching for macros in `Help → TeXShop Help Panel...`

4.1 Text Macros

Text macros are simple text substitutions. You can also tell `TEXShop` to insert any selected text using `#SEL#`, place the cursor using `#INS#` and even put in multiple lines in the macro itself. Then you can assign the text macro to a keyboard shortcut.

I like to use `Cmd-B` and `Cmd-I` to insert `\textbf{...}` and `\emph{...}` into the document where `...` is any possible selected text. Macros to do that are already under the `Macros → Text Styles Menu` so we need only assign keyboard shortcuts to them. To assign `Cmd-I` to the emphasize macro: open the Macro Editor where the form of the Macros menu appears in the left hand pane; click the emphasize macro found under `Text Styles`; click the Key insertion box and simply insert a lower case 'i' (the `Cmd` key is assumed and additional modifier keys can be checked off).

4.2 Applescript Macros

You cannot distinguish Applescript macros in the Macros Menu from text macros but they can do complicated processing and add/change the source file in T_EXShop. One example in the default set is the Program macro that creates a

```
% !TEX TS-program = xxxx
```

line at the top of a file with your choice of engine substituted for xxxx. You can look at the Applescript code for this macro by clicking on its name in the Macro Editor.

5 Command Completion

L^AT_EX markup is rather wordy which is nice because it describes what it's supposed to do but a bit painful to write. Command Completion allows you to insert complete environments and commands with a few keystrokes and the press of a “trigger” key (this is Esc by default but can be changed to Tab in TeXShop → Preferences → Source → Command Completion Triggered By:).

Commands that have arguments usually have a Mark (•) inserted for each argument. You move to the next argument by using the Source → Command Completion → Marks → Next Mark command (Ctl-Cmd-F [or Opt-Trigger]). This also selects the Mark so typing automatically removes the Mark and substitutes the typed information. See the complete documentation, with lists of commands/abbreviations supplied with T_EXShop out of the box, in the ~/Library/TeXShop/CommandCompletion folder for much more information.

5.1 Completions

You can complete many commands by starting to type them and pressing the trigger key. Variations on the commands with differing numbers of optional arguments are generated by additional presses of the trigger. One example: typing \sec and then the trigger on a new line produces

```
\section{•}
```

while a second press of the trigger gives

```
\section*{•}
```

the *-variant of the command and a final press of the trigger gives

```
\section[•]{•}
```

with the optional argument.

5.2 Substitutions or Abbreviations

Besides completions for partial command insertions there are also many abbreviations. These are short mnemonics for complete substitutions.

All abbreviations for environments start with a ‘b’. To generate a complete itemize environment place \bite on a line by itself and press the trigger key to get

```
\begin{itemize}  
\item  
•  
\end{itemize}•
```

with an extra Mark at the end so you can easily jump to the end of the environment. Additional items can be generated by typing \it and the trigger to get

`\item`



ready for entry of text.

In addition to the `\section` command lower level sectioning commands have abbreviations. Sub-sections can be generated by typing `\ssec` and the trigger to get

`\subsection{•}`

with subsequent presses of the trigger key giving the *-variant and finally the variant with the optional argument.

As a final example `\tt` and the trigger gives the `\texttt{•}` command and a second press of the trigger gives the declaration `\ttfamily` with similar results for other font changing commands.

5.3 Hey, it doesn't work!

If these examples don't work you probably need to let T_EXShop update the `~/Library/TeXShop/CommandCompletion` folder; simply delete that folder from `~/Library/TeXShop` and restart T_EXShop.

6 Extending Processing via Engines

T_EXShop offers several default “engines” (also referred to as “scripts” which is left over from earlier times) in its Typeset Menu. These include running Plain TeX or LaTeX (either using `pdftex` or `TeX+DVI`), BibTeX, MakeIndex, MetaPost or ConTeXt. But there are many things you may wish to do that fall outside of this limited set so T_EXShop also allows you to create new engines that are stored in `~/Library/TeXShop/Engines`. These additional engines do not show up in the Typeset menu but only in the popup list on the Source and Preview Toolbar (see Figure (10)).

You can use these engines by choosing from that popup list and then pressing the Typeset button or, a better choice if you use different engines for different documents, by putting a line like

```
% !TEX TS-program = xelatex
```

at the top of your source file; the example given will run the `xelatex` engine on this file independent of other choices.

T_EXShop is shipped with a few engines activated (i.e., directly in the `~/Library/TeXShop/Engines` folder) but also includes several additional ones in `~/Library/TeXShop/Engines/Inactive`. As an example let's activate and use the `pdflatexmk` engine found in `~/Library/TeXShop/Engines/Inactive/Latexmk`.

6.1 The `pdflatexmk` engine

If your document had cross-references, bibliographies and/or indexes it takes multiple `pdflatex` runs with intermediate runs of `bibtex` and/or `makeindex` to create the bibliographies, indexes and resolve all cross-references. The `pdflatexmk` engine automates this whole process.

T_EXShop 3.07 or 2.46 and later activate the `pdflatexmk` engine by default *in a fresh installation*. If you are using an earlier version of T_EXShop, or even updated to the latest version from an earlier version, you need to activate the engine. To activate the engine simply move the `pdflatexmk.engine` file from `~/Library/TeXShop/Engines/Inactive/Latexmk` two folders up, to `~/Library/TeXShop/Engines`. When you restart T_EXShop you can check that `pdflatexmk` is now in the popup menu.

Then place the line




Figure 10: The Engines Popup Menu on the Source Toolbar.

```
% !TEX TS-program = pdflatexmk
```

at the top of your source file. From then on when you simply typeset the file (Typeset → Typeset or Cmd-T) \TeX Shop will use this engine and the complete process for typesetting the document to its final form will be carried out.